



#### Nanomaterials safer by design



- Correlate specific ENP properties to their aging, transformation, and behavior
- Classify nanomaterials according to their impacts

#### Nanomaterials safer by design




- Correlate specific ENP properties to their aging, transformation, and behavior
- Classify nanomaterials according to their impacts

#### Expected Impacts

- Protocols for ENP synthesis, characterization, and safety assessment
- Relate specific characteristics to impacts
- Predictive ENP risk assessment according to biological and environmental impacts
- Provide guidance for future safer design

#### Nanomaterials safer by design





- Work Package: Life Cycle Evolution of ENP
  - Aging nanomaterials; study transformations relevant to product use
  - Provide aged particles to other consortium members to compare toxicological effects to pristine materials

- Work Package: Life Cycle Evolution of ENP
  - Aging nanomaterials; study transformations relevant to product use
  - Provide aged particles to other consortium members to compare toxicological effects to pristine materials
- CEA (Commissariat a l'Energie Atomique), France
  - Aging nanomaterials in air (Ag, CeO)



- Work Package: Life Cycle Evolution of ENP
  - Aging nanomaterials; study transformations relevant to product use
  - Provide aged particles to other consortium members to compare toxicological effects to pristine materials
- CEA (Commissariat a l'Energie Atomique), France
  - Aging nanomaterials in air (Ag, CeO)
- University of Birmingham, UK
  - Develop specialized particles for aging tests
  - Aging nanomaterials in water (ZnO, CeO)







#### Work at Empa:

- Aging nanomaterials in water; study transformation(s) relevant to product use
- Provide literature review of ENP aging: determine relevant particle transformation(s) and where gaps in knowledge exist
- 2. Conduct experiments of ENP aging processes
- Determine which properties make particles more similar or more varied after aging
- Age consortium particles to determine varied toxicity compared to pristine counterparts

## Present Aging/Transformation Studies




## Present Aging/Transformation Studies




#### D. Mitrano

## Particle Aging/Transformations




## Nanomaterial Distribution in Products




D. Mitrano, based on Sun et al 2014

## Nanomaterial Distribution in Products




D. Mitrano, based on Sun et al 2014

### Nanomaterial Distribution in Products




- Interconnected transformations
- Oxidation from cleaners and washing powders
- Complexation/ precipitation with surfactants and other washing powder constituents
- Surface modifications affect particle stability: additionally future fate, transport and toxicity

# Ag Release and Transformation after Laundering Fabrics




# Comparison of NP and Traditional Ag after Release

#### **NP** Incorporation



#### **Traditional Ag Additives**




Ag salts: AgCl, AgCl on TiO<sub>2</sub> carrier

Ag ion exchange: AgZeolite


Metallic Ag: Ag threads

# Comparison of NP and Traditional Ag after Release

#### **NP** Incorporation



#### **Traditional Ag Additives**



Ag salts: AgCl, AgCl on TiO<sub>2</sub> carrier


Ag ion exchange: AgZeolite

Metallic Ag: Ag threads

# Comparison of NP and Traditional Ag after Release

**NP** Incorporation


**Traditional Ag Additives** 





Distinguishable?


Depends on washing conditions?

### **Transformation Increases Similarity**









### Conclusions

 Aged and/or product released NP will have different qualities than pristine ENP

Product use dictates relevant aging/transformation

Multiple, subsequent transformation possible and likely

 "Traditional" additives to textiles, etc. may also release nano-sized materials

